METAL ZIPPER MACHINE INTRODUCTION 金属拉链机械产品介绍





发明专利号: 201610786601.9


ZY-100 Y 牙成型线压延机

ZY-100 Y Teeth Wire Drawing Machine

- 独特的机组结构设计, 普通工人即可快速换模更改型号规格;
- 坚固精密, 拆装简易, 无需师傅调整即可生产达到几乎零误差的精美产品;
- 全电脑数控模式, 操作简易, 无需特别培训操作人员即可生产;
- 全自动左右定位绕线装置, 一人可以操作二条生产线。
- The unit boasts unique structural design. Workers could quickly change molds for different models or specification.
- The machine boasts a solid and precise structure and can be easily mounted or dismounted. Precise products with zero error can be achieved without adjustment by skilled operators.
- The CNC procedures enable simple and easy operation. Operators can start production without having specialist training.
- Fully automatic left and right positioning winding device, one person can operate two production lines.

| 型号 Model | 机械名称 Machine name | 平均产量 Average output | 动力 Power | 电压 Volt | 机械尺寸(m) L*W*H | 净重 Net weight |
|-------------|---|------------------------|-------------|------------|------------------|------------------|
| ZY-100 | Y 牙成型线压延机 Y Teeth Wire Drawing Machine | 180KG/H | 25.00KW | 380V | 13.00X2.00X2.15 | 3500KG |
| ZY-501M-F | Y 型齿双转子双边植齿机 Double-sided Metal Zipper Y Teeth Making Machine | 250Y/H | 2.20KW | 380V | 0.85X0.80X2.10 | 870KG |






专利号: 201220614349.0

ZY-501M-F Y 型齿双转子双边植齿机

ZY-501M-F Double-sided Metal Zipper Y Teeth Making Machine

- 紧凑而简洁的机械结构,改善以往复杂繁琐的结构方式, 操控性更加易学易懂;
- 成熟稳定的同时又降低了 20 分贝的噪音。 高速结构装置,大大提高了生产效益; 特殊材料加工的部件, 更加延长配件的寿命;
- 智能故障显示的停车方式, 减少浪费材料和提高排除故障的时间效率;
- 精密高性能的模具与精密的 Y 牙线材结合, 生产的 Y 牙拉链更美观亮丽。
- The machine changes the complicated structure into a concise and simple mechanical structure, which makes it easier to learn and control
- The patented high speed structure device can greatly help enhance production efficiency while lowers noise by 20 decibels. The parts that are processed with special materials can prolong the service life of accessories.
- Intelligent shutdown in times of failures help save materials and time for troubleshooting.
- Y teeth are coming out more artistic and polished because of precise mold and brass wire as well as machine's high performance.



专利号: 201220614349.0


ZY-501M-H Y 型齿双转子单边植齿机 ZY-501M-H Single-sided Metal Zipper Y Teeth Making Machine



- 最新高速设计成果, 紧凑而简洁的机械结构, 改善以往复杂繁琐的结构方式,操控性更加易学易懂;
- 专利高速结构装置, 大大提高了生产效益,同时又降低了 20 分贝的噪音,特殊材料加工的部件,更加延长配件寿命;
- 精密高性能的模具与精密的 Y 牙线材结合, 生产的 Y 牙拉链更美观亮丽。
- As a result of high speed design, the machine changes the complicated structure into a concise and simple mechanical structure, which makes it easier to learn and control.
- The patented high speed structure device can greatly help enhance production efficiency while lowers noise by 20 decibels. The parts that are processed with special materials can prolong the service life of accessories.
- Y teeth are coming out more artistic and polished because of precise mold and brass wire as well as machine's high performance.

| 型号 Model | 机械名称 Machine name | 平均产量 Average output | 动力 Power | 电压 Volt | 机械尺寸(m) L*W*H | 净重 Net weight |
|-------------|---|------------------------|-------------|------------|------------------|------------------|
| ZY-501M-H | Y 型齿双转子单边植齿机 Single-sided Metal Zipper Y Teeth Making Machine | 200Y/H | 1.60KW | 380V | 0.75X0.87X1.90 | 690KG |
| ZY-501M-K | 高端金属拉链颗粒齿装配机 Metal zipper Single (Preformed) Teeth Making Machine | 80Y/H | 0.70KW | 220V | 0.94X0.48X1.56 | 209KG |

发明专利号:201611235766.3 201810365942.8 专利号:201820580636.1





ZY-501M-K 高端金属拉链颗粒齿装配机 ZY-501M-K Metal zipper Single (Preformed) Teeth Making Machine


- 采用精密的自动物料排列输送装置,确保齿粒顺畅同时又减少齿粒的表面磨损;
- 机械精密小巧、低噪音、操作简易;
- 整机采用精密数控运转方式,从而避免了传统植齿机多种缺点。
- The machine adopts precise automatic material ordering and transportation device which ensures that the teeth are transported smoothly and reduces teeth surface abrasion.
- The machine is precise and compact with low noise and easy operation.
- The whole machine applies precise CNC operation method which avoids various weaknesses of traditional teeth making machine.




- 采用高速精密振动盘供给链齿物料,以达到速度上的提升。
- Adopts high-speed precise vibration to feed zipper teeth, which can improve running speed.

| 型号 Model | 机械名称 Machine name | 平均产量 Average output | 动力 Power | 电压 Volt | 机械尺寸(m) L*W*H | 净重 Net weight |
|-------------|---|------------------------|-------------|------------|------------------|------------------|
| ZY-501M-S | 高端金属拉链双点牙颗粒齿装配机 ZY-501M-S Metal Zipper Symmetrical Single Teeth (Preformed) Assembly Machine | 70Y/H | 1.00KW | 220V | 0.90X0.60X1.47 | 220KG |
| ZY-501M | I 型植齿机 Metal Zipper Flat Wire Teeth Making Machine | 155Y/H | 0.80KW | 380V | 0.80X0.74X1.38 | 300KG |






ZY-501M I 型植齿机 ZY-501M Metal Zipper Flat Wire Teeth Making Machine




ZY-502M-J 全自动金属 12 轮抛光机 ZY-502M-J Full-automatic Metal Zipper Polishing Machine (12 rollers)

- 本机采用双向摆动式抛光设计,可以同时进行对链齿双方向表面抛光;
- 独立上下可调式过链轮,灵活调节抛光接触錶面面积;
- 强力的吸尘设备减少粉尘的积聚,适用于普通跳寸拉链。
- The machine adopts tow-way reciprocating polishing design which enables two-way polishing on teeth surface at the same time.
- The independent up and down adjustable zipping wheel flexibly adjusts the polishing contact surface area.
- A strong dust collection equipment reduces accumulation of dust and is applicable to common skipping stitch zippers.

| 型号 Model | 机械名称 Machine name | 平均产量 Average output | 动力 Power | 电压 Volt | 机械尺寸(m) L*W*H | 净重 Net weight |
|-------------|--|------------------------|-------------|------------|------------------|------------------|
| ZY-502M-J | 全自动金属 12 轮抛光机 Full-automatic Metal Zipper Polishing Machine (12 rollers) | 1600Y/H | 5.30KW | 380V | 2.96X0.45X1.95 | 600KG |
| ZY-502M-L | 全自动金属 10 轮高端颗粒齿拉链压平机 Full-automatic Metal Single Teeth Zipper Flattening Machine | 250Y/H | 0.18KW | 220V | 2.85X0.60X1.85 | 300KG |




- 十组独立压轮设计,有效减少对拉链齿的擦伤,同时提升表面光洁;
- 独立压轮、独立可调方便实用。
- Ten-set independent pinch roller design effectively reducing abrasion to zipper teeth and improving surface finish;
- Independent pinch roller, adjustable, convenient and practical.



- 外观采用新款大型综合一体化结构, 设计合理, 操作方便, 综合性能更强。
- 输送采用多组无槽滚轴自动换面方式, 实现一机多用理念。
- 上油采用独立单面二次上油精密仪表装置,使上油效果质量更稳定,更亮丽。
- 烫平使用多组无槽环绕方式, 变频调速装置, 适合不同功能性产品的使用, 发挥最佳状态。
- The machine has a large integrated structure featuring a new design. With the reasonable design, the machine is easy to operate and its overall functions are more powerful.
- As for transportation, several units of slotless rollers are adopted for automatically turning the zipper over, which allows the machine to be used for different functions.
- An independent oil applying precise instrument is used for applying oil to one side of the zipper twice, which ensures stable quality and polished zipper surface after oil application.
- Several units of frequency control devices are used for ironing with the method of slotless circling. Therefore, the machine is well fit for the manufacture of products of different functions.

| 型号 Model | 机械名称 Machine name | 平均产量 Average output | 动力 Power | 电压 Volt | 机械尺寸(m) L*W*H | 净重 Net weight |
|-------------|--|----------------------------------|-------------|------------|------------------|------------------|
| ZY-503M-E | 全自动金属烫平叻架机 Fully Automatic Metal Ironing & Lacquering Machine | 875Y/H | 22.50KW | 380V | 3.60X1.16X1.93 | 1150Kg |
| ZY-105M-F | 全自动金属数控免修齿定寸除齿机 Full-automatic Metal Zipper Teeth CNC Gapping Machine (Teeth- Damaged Free) | 2700pcs/60cm/H 3300pcs/18cm/H | 1.70KW | 380V | 1.30X0.76X1.82 | 311KG |






专利号: 201620693349.2

ZY-105M-F 全自动金属数控免修齿定寸除齿机


ZY-105M-F Full-automatic Metal Zipper Teeth CNC Gapping Machine (Teeth-Damaged Free)

- 采用稳定成熟的机械结构,创新增加新功能;
- 新型独特的双向免修齿模具,不伤牙不伤布带;
- 长度控制精准, 最短可做 3CM;
- 触屏设计人机界面清晰易懂。
- Adopting stable and mature mechanical structure, creatively adding new functions;
- \bullet New and unique bidirectional mould, without wearing the tooth and the belt;
- \bullet Accurate length controlling, A zipper as short as 3CM;
- $\bullet \ \, \text{Touch-screen design enabling comfortably intelligible user-machine interface}. \\$



- 本机整体结构稳定耐用,可承受较重的负荷。
- 新型的双向免修齿定寸除齿模具,可避免二端伤牙现象。
- 触屏数控式定寸与传统勾针定寸式定寸并存,可提供二种定寸精准度模式的选择。
- The machine is of a stable and durable overall structure, capable of bearing a heavy load.
- The new two-way non-trimming gapping stripping die prevents teeth damage at both ends.
- It's equipped with both the touch screen CNC gapping traditional looper gapping, and provides two gapping precision options.

| 型号 Model | 机械名称 Machine name | 平均产量 Average output | 动力 Power | 电压 Volt | 机械尺寸(m) L*W*H | 净重 Net weight |
|-------------|---|----------------------------------|-------------|------------|------------------|------------------|
| ZY-105M-G | 全自动金属微电脑双向定寸除齿机 Full-automatic Metal Zipper CNC Gapping Machine with Ruler | 2700pcs/60cm/H 3300pcs/18cm/H | 1.20KW | 380V | 2.20X0.47X1.82 | 355KG |
| ZY-801M | 全自动金属贴布、超音波制孔、方块插销机 Full-automatic Metal Zipper Film Sealing, Ultrasonic Hole Punching and Pin-Box Pressing 3-in-1 Machine | 1000pcs/60cm/H | 4.40KW | 380V | 2.38X0.70X1.88 | 670KG |



- 行业首创开尾拉链 3 合 1 联合制造机, 从而减少工序多次转换的人力及物料的资源损耗;
- Pioneer three-in-one open-end zipper making machine reduces human resources and material consumption in shifting procedures.

● 全新概念的电脑精确数字控制模式, 结合成熟稳定的超音波及相关工序机械结构, 从而实现人均产量的高速增长。

• Brand new CNC supplemented with sophisticated and stable ultrasonic structure as well as mechanical structures of other relevant processes achieves rapid growth of output per capita.



发明专利号: 201910932797.1 专利号: 201520584180.2

ZY-802M 全自动金属穿头、颗粒上止、切断机(闭口) ZY-802M Full-automatic Metal Zipper Slider Mounting, Double U Top Stop and Cutting Machine

- 全新单机三全一功能组合结构, 节约使用面积与降低能源耗损;
- 连续式三合一工序组合,减少常规式人工转换工序的资源耗损;
- 使用 U 型颗粒上止, 可选左右单颗程序;
- 电脑触屏式操控,独特的 PC 自控编程,操作更简易。
- The all new integraing structure with three functions in one machine saves the usable area and reduces energy consumption.
- The continuous three-in-one process combination reduces resource consumption in regular manual transition process.
- The machine applies U top stop and you can choose between left or right single program.
- Computer touch screen operation pattern and unique PC automatic control programming enable easier operation.

| 型号 Model | 机械名称 Machine name | 平均产量 Average output | 动力 Power | 电压 Volt | 机械尺寸(m) L*W*H | 净重 Net weight |
|-------------|---|------------------------|-------------|------------|------------------|------------------|
| ZY-802M | 全自动金属穿头、颗粒上止、切断机(闭口) Full-automatic Metal Zipper Slider Mounting, Double U Top Stop and Cutting Machine | 900pcs/18cm/H | 2.10KW | 220V | 2.50X0.75X1.83 | 312KG |
| ZY-201M-C | 全自动金属内贴布机 Full-automatic Metal Zipper Film Sealing Machine | 1200pcs/60cm/H | 2.10KW | 220V | 1.10X0.80X1.80 | 230KG |





专利号: 201521052790.4

ZY-201M-C 全自动金属内贴布机 ZY-201M-C Full-automatic Metal Zipper Film Sealing Machine

- 采用新音波系统贴胶更牢,结合销量第一的专利结构,更稳定完美寿命更长,模具与配件损耗更低。
- Adopting a new ultrasonic system that enables more secure film sealing and combing top-selling patented structure, this machine is more stable and has longer service life with lower loss rate of dies and parts.



发明专利号: 201110100512.1


ZY-301M-B 全自动金属超音波制孔机

ZY-301M-B Full-automatic Metal Zipper **Ultrasonic Hole Punching Machine**

- 多方位电子马达控制, 动作及位置更精确;
- 音波式熔切技术, 布边整齐坚固;
- 固封式效果防重砂洗, 防脱胶, 防松散;
- 配合全自动方块插销机使用更顺畅。
- Controlled by several electric motors, the machine can achieve more precise motions and positions.
- Ultrasonic melt cutting technique is applied, ensuring that edges of tapes are neat and solid.
- The hole is firm to avoid debonding and loosening during stone-washing
- With support of this machine , the full-auto pin-box machine will work more smoothly.

| 型号 Model | 机械名称 Machine name | 平均产量 Average output | 动力 Power | 电压 Volt | 机械尺寸 (m) L*W*H | 净重 Net weight |
|-------------|---|------------------------|-------------|------------|-------------------|------------------|
| ZY-301M-B | 全自动金属超音波制孔机 Full-automatic Metal Zipper Ultrasonic Hole Punching Machine | 1500pcs/60cm/H | 1.65KW | 220V | 1.30X0.60X1.85 | 164KG |
| ZY-301M | 全自动金属制孔机 Full-automatic Metal Zipper Hole Punching Machine | 2500pcs/60cm/H | 0.40KW | 220V | 1.05X0.55X1.85 | 140KG |






ZY-301M 全自动金属制孔机

ZY-301M Full-automatic Metal Zipper Hole Punching Machine

- 采用自动离合式下冲结构与精密耐用的冲切模具,配合精准的定位停止感应装置,确保制孔效果精准稳定。
- This machine adopts a bottom punch with an automatic clutch and precise and durable dies, combining positioning limit sensor that ensures precise and stable punching.





ZY-706M-B 全自动金属方块插销迫紧机(Ⅱ型)

ZY-706M-B Full-automatic Metal Zipper Pin-Box Pressing Machine (II)

- 合理式改良方案, 更符合工艺生产要求;
- 先压后冲式工艺,减少产品变形,穿插更顺畅;
- 新改良活动冲针, 延长配件使用寿命;
- 合理提升物理性能, 更加稳定产品质量;
- 电脑式触屏操控方式, 更灵活方便。
- With a reasonable improvement program, the machine can better satisfy production requirements of zippers.
- The process of pressing before punching can help reduce deformation of products and allow smooth insertion.
- Improved movable pins are used to prolong the service life of accessories.
- The physical properties of the machine are enhanced to ensure stable quality of products.
- Controlled by computerized touch screen, the machine is more flexible and convenient to operate.

| 型号 Model | 机械名称 Machine name | 平均产量 Average output | 动力 Power | 电压 Volt | 机械尺寸(m) L*W*H | 净重 Net weight |
|-------------|---|----------------------------------|-------------|------------|------------------|------------------|
| ZY-706M | 全自动金属方块插销迫紧机(II 型) Full-automatic Metal Zipper Pin- Box Pressing Machine (II) | 1200pcs/60cm/H | 0.80KW | 220V | 1.20X0.60X1.85 | 220KG |
| ZY-7051 | 全自动金属花式片穿拉头机 Full-automatic Metal Zipper Slider Mounting Machine | 3600pcs/60CM/H 4800pcs/18CM/H | | 220V | 1.35X0.60X1.85 | 180KG |





发明专利号: 201610670234.6 201910119357.4

专利号: 201920377472.7

ZY-705M 全自动金属花式片穿拉头机 ZY-705M Full-automatic Metal Zipper Slider Mounting Machine

- 采用电子马达,制动与离合动作更精确, 效率更高;
- 独特的 PC 自控编程, 稳定性超越千分比;
- 智能电脑触屏操控, 更易学易懂;
- 新开发的震动送料盘, 可适用大部分的花式拉头和普通拉头的通用性。
- The machine uses electric motors, which ensures more precise braking and clutching and higher efficiency.
- The machine is equipped with unique PC automatic control programming, which makes its stability accurate to permillage.
- Controlled by computerized touch screen, it is easier to learn to operate the machine.
- The newly developed vibration material feeding plate is suitable for most of fancy sliders and compatible with ordinary sliders.




发明专利号: 201610797816.0


ZY-409M-B 全自动金属颗粒料双上止机 (II 型)

ZY-409M-B Full-automatic Metal Zipper Double U Top Stop Pressing Machine (II)

- 运用成熟合理的精简结构、有效提升机械效率;
- 单震动盘双轨道设计,简洁节能操作方便易维护;
- 触屏设计人机界面清晰易懂。
- Applying mature and reasonable simplified structure to effectively promote mechanical efficiency;
- Single vibration plate and double-track design ensuring simple, energy-saving, easy operation and maintenance;
- $\bullet \ \, \text{Touch-screen design enabling comfortably intelligible user-machine interface}. \\$

| 型号 Model | 机械名称 Machine name | 平均产量 Average output | 动力 Power | 电压 Volt | 机械尺寸(m) L*W*H | 净重 Net weight |
|-------------|---|----------------------------------|-------------|------------|------------------|------------------|
| ZY-409M-B | 全自动金属颗粒料双上止机(II 型) Full-automatic Metal Zipper Double U Top Stop Pressing Machine (II) | 2000pcs/60cm/H 2500pcs/18cm/H | 0.30KW | 220V | 1.40X0.40X1.75 | 148KG |
| ZY-408M | 全自动金属双上止机 Full-automatic Metal Zipper Double Top Stop (Flat Wire) Machine | 2400pcs/60cm/H 3000pcs/18cm/H | 0.40KW | 220V | 1.30X0.60X1.85 | 140KG |





ZY-408M Full-automatic Metal Zipper Double Top Stop (Flat Wire) Machine



- 精准的自动停止感应装置,提升了产品稳定的百分比;优化的花式片走链设计通用性高;
- 合理的机械结构,延长模具寿命、销量第一的经典产品。
- Accurate automatic stop induction device improves the percentage of product stability. Optimized fancy puller zipping design is very universal.
- It is the classic and best-selling product with reasonable mechanical structure which lengthens the service life of die.





发明专利号: 201610451759.0 专利号:201520584331.4


ZY-302-D 全自动拖带超音波开口切断机

ZY-302-D Full-automatic Open-End Zipper Ultrasonic Towing Cutting Machine

- 全自动机械手牵引出链装置, 出链平稳;
- 采用超声波切断设计,有效降低噪音;
- 切口焊接美观无毛边, 抗水洗性高;
- 独特的电控设计, 主动分辩长短链, 便于分捡;
- 适用性高,可适用各种花式拉头。
- Fully automatic manipulator smoothly pulling chain devices;
- Ultrasound cutting design effectively reducing noise;
- Smooth welding surface with high water resistance;
- Unique electric control design automatically identifying long and short chains, convenient for sorting;
- High applicability, applicable for various pullers.

| 型号 Model | 机械名称 Machine name | 平均产量 Average output | 动力 Power | 电压 Volt | 机械尺寸 (m) L*W*H | 净重 Net weight |
|-------------|--|------------------------|-------------|------------|-------------------|------------------|
| ZY-302-D | 全自动拖带超音波开口切断机 Full-automatic Open-End Zipper Ultrasonic Towing Cutting Machine | 1400pcs/60cm/H | 1.80KW | 220V | 2.10X0.73X1.75 | 237KG |
| ZY-302-C | 全自动拖带开口切断机 Full-automatic Open-End Zipper Towing Cutting Machine | 1700pcs/60cm/H | 0.40KW | 220V | 2.10X0.73X1.75 | 197KG |






发明专利号: 201610451759.0 专利号:201520584331.4

ZY-302-C 全自动拖带开口切断机

ZY-302-C Full-automatic Open-End Zipper Towing Cutting Machine

- 全自动机械手牵引出链装置,出链平稳;
- 适用性高,可适用各种花式拉头;
- 独特的电控设计, 主动分辩长短拉链, 便于分捡;
- 切口平整紧密不起毛。
- Zippers coming out smoothly with fully automatic manipulator;
- High applicability, applicable for various pullers;
- Unique electric control design automatically identifying long and short chains, convenient for sorting;
- Smooth and dense cutting, lint-free.




专利号:201520584331.4

ZY-707-C 全自动拖带超音波花边切断机

ZY-707-C Full-automatic Closed-End Zipper Ultrasonic Towing Zig Zag Cutting Machine

- 全自动机械手牵引出链装置, 出链平稳;
- 采用超声波切断设计, 有效降低噪音;
- 切口焊接美观无毛边, 抗水洗性高;
- 独特的电控设计, 主动分辩长短链, 便于分捡;
- 适用性高,可适用各种花式拉头。
- Zippers coming out smoothly with fully automatic manipulator;
- Ultrasound cutting design effectively reducing noise;
- Smooth welding surface with high water resistance;
- Unique electric control design automatically identifying long and short chains, convenient for sorting;
- High applicability, applicable for various pullers.

| 型号 Model | 机械名称 Machine name | 平均产量 Average output | 动力 Power | 电压 Volt | 机械尺寸 (m) L*W*H | 净重 Net weight |
|-------------|---|------------------------|-------------|------------|-------------------|------------------|
| ZY-707-C | 全自动拖带超音波花边切断机 Full-automatic Closed-End Zipper Ultrasonic Towing Zig Zag Cutting Machine | 2700pcs/18cm/H | 1.80KW | 220V | 1.80X0.90X1.70 | 200KG |
| ZY-708-B | 全自动拖带气动花边切断机 Full-automatic Closed-End Zipper Air-Operated Towing Zig Zag Cuttling Machine | 3000pcs/18cm/H | 0.40KW | 220V | 2.10X0.73X1.75 | 178KG |



专利号:201520584331.4

ZY-708-B 全自动拖带气动花边切断机

ZY-708-B Full-automatic Closed-End Zipper Air-Operated Towing Zig Zag Cutting Machine

- ◆ 全自动机械手牵引出链装置,出链平稳;
- 适用性高,可适用各种花式拉头;
- 独特的电控设计, 主动分辩长短拉链, 便于分捡;
- 切口平整紧密不起毛。
- Zippers coming out smoothly with fully automatic manipulator;
- High applicability, applicable for various pullers;
- Unique electric control design automatically identifying long and short chains, convenient for sorting;
- Smooth and dense cutting, lint-free.






ZY-708 全自动气动花边切断机

ZY-708 Full-automatic Closed-End Zipper Air-Operated Zig Zag Cutting Machine

- 整机设计精巧,采用低气压的下冲装置,在降低噪音又减少能源损耗。
- With low pressure bottom punch, the whole machine is skillfully designed to reduce noise and save energy.

| 型号 Model | 机械名称 Machine name | 平均产量 Average output | 动力 Power | 电压 Volt | 机械尺寸 (m) L*W*H | 净重 Net weight |
|-------------|---|------------------------|-------------|------------|-------------------|------------------|
| ZY-708 | 全自动气动花边切断机 Full-automatic Closed-End Zipper Air-Operated Zig Zag Cutting Machine | 5500pcs/18cm/H | 0.50KW | 220V | 1.90X0.75X1.85 | 170KG |
| ZY-704M-B | 全自动工形下止机(III 型) Full-automatic H Bottom Stop Pressing Machine (III) | 3600pcs/18cm/H | 1.10KW | 220V | 1.37X0.60X1.85 | 190KG |






ZY-704M-B 全自动工形下止机 (Ⅲ型)

ZY-704M-B Full-automatic H Bottom Stop Pressing Machine (III)

- 独特的专利结构布局,操作简易故障更低;
- ●配件损耗极少, 电子马达控制下止位置更精准;
- 电脑式多功能触屏操控,更灵活方便。
- Unique and patented structure enable easier operation and lower failure rate.
- This machine boasts extremely low parts loss rate and electric motor that controls even more precise bottom stop positioning.
- Computer multi-functional control with a touch screen enable convenient operation.






ZY-401M 全自动金属下止机

ZY-401M Full-automatic Metal Zipper Flat Wire Bottom Stop Machine





ZY-411M-C Semi-auto Metal Zipper U Top Stop Pressing Machine








ZY-303-C 半自动冲孔切断机

ZY-303-C Semi-auto Hole Punching and Cutting Machine


| 型号 Model | 机械名称 Machine name | 平均产量 Average output | 动力 Power | 电压 Volt | 机械尺寸(m) L*W*H | 净重 Net weight |
|-------------|--|------------------------|-------------|------------|------------------|------------------|
| ZY-401M | 全自动金属下止机 Full-automatic Metal Zipper Flat Wire Bottom Stop Machine | 4800pcs/18cm/H | 0.40KW | 220V | 1.20X0.56X1.85 | 110KG |
| ZY-411M-C | 半自动金属颗粒料单上止机 Semi-auto Metal Zipper U Top Stop Pressing Machine | 1000pcs/60cm/H | 0.40KW | 220V | 0.65X0.40X1.00 | 110KG |
| ZY-303-C | 半自动冲孔切断机 Semi-auto Hole Punching and Cutting Machine | 1200pcs/60cm/H | 0.30KW | 220V | 0.40X0.30X0.65 | 80KG |





ZY-304M-E 半自动金属断开背式插销固定机


ZY-304M-E Semi-auto Cut-Off Zipper Pin Pressing Machine



ZY-305M-E 半自动金属断开背式方块固定机 ZY-305M-E Semi-auto Cut-Off Zipper Box Rressing Machine







ZY-305M-G 半自动金属断开一次成型双开迫紧机 ZY-305M-G Semi-auto Cut-Off Zipper Pin-Pin Pressing Machine

| 型号 Model | 机械名称 Machine name | 平均产量 Average output | 动力 Power | 电压 Volt | 机械尺寸(m) L*W*H | 净重 Net weight |
|-------------|--|------------------------|-------------|------------|------------------|------------------|
| ZY-304M-E | 半自动金属断开背式插销固定机 Semi-auto Cut-Off Zipper Pin Pressing Machine | 1200pcs/60cm/H | 0.30KW | 220V | 0.40X0.30X0.65 | 80KG |
| ZY-305M-E | 半自动金属断开背式方块固定机 Semi-auto Cut-Off Zipper Box Rressing Machine | 1200pcs/60cm/H | 0.30KW | 220V | 0.40X0.30X0.65 | 80KG |
| ZY-305M-G | 半自动金属断开一次成型双开迫紧机 Semi-auto Cut-Off Zipper Pin-Pin Pressing Machine | 1200pcs/60cm/H | 0.30KW | 220V | 0.40X0.30X0.65 | 80KG |



ZY-303-B 半自动一字切断机

ZY-303-B Semi-auto Open-End Zipper Cutting Machine





ZY-405M 半自动金属单上止机

ZY-405M Semi-auto Metal Zipper Single Top Stop (Flat Wire) Pressing Machine



ZY-403-B 半自动气动花边切断机

ZY-403-B Semi-auto Air Operated Closed-End Zipper Zig Zag Cutting Machine



| 型号 Model | 机械名称 Machine name | 平均产量 Average output | 动力 Power | 电压 Volt | 机械尺寸 (m) L*W*H | 净重 Net weight |
|-------------|---|------------------------|-------------|------------|-------------------|------------------|
| ZY-303-B | 半自动一字切断机 Semi-auto Open-End Zipper Cutting Machine | 1200pcs/60cm/H | 0.30KW | 220V | 0.40X0.30X0.65 | 80KG |
| ZY-405M | 半自动金属单上止机 Semi-auto Metal Zipper Single Top Stop (Flat Wire) Pressing Machine | 2000pcs/18cm/H | 0.30KW | 220V | 0.65X0.40X0.42 | 50KG |
| ZY-403-B | 半自动气动花边切断机 Semi-auto Air Operated Closed-End Zipper Zig Zag Cutting Machine | 2000pcs/18cm/H | 0.005KW | 220V | 0.35X0.25X0.55 | 30KG |